

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	(kentaro near3 kawabata).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 11:15
S2	2	jp-05284799-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 08:32
S3	1	1993-382125.NRAN.	DERWENT	OR	ON	2005/10/05 08:28

S4	96	("(6061498") or ("6061498") or ("6369558") or ("4535281") or ("4902964") or ("4939450") or ("5200691") or ("5777463") or ("4371842") or ("5821533") or ("5872363") or ("6240283") or ("6322166") or ("4454573") or ("5003454") or ("6114842") or ("6137267") or ("4344122") or ("4468599") or ("4591962") or ("4800291") or ("5008794") or ("5220272") or ("5461301") or ("5640060") or ("5761073") or ("5886885") or ("6100677") or ("6215697") or ("6215697") or ("6342737") or ("6430070") or ("6525434") or ("6608521") or ("6693782") or ("6643113") or ("6094011") or ("6239552") or ("4435746") or ("5296756") or ("5394067") or ("5744941") or ("6097440") or ("3681670") or ("3794846") or ("4084559") or ("4295078") or ("4389632") or ("4390812") or ("4414493").pn.") or ("(4419918") or ("4578743") or ("4885522") or ("4980793") or ("5208537") or ("5241494") or ("5381328") or ("5486751") or ("5502368") or ("5532918") or ("5572113") or ("5631544") or ("5710471") or ("5746702") or ("5752385") or ("5821716") or ("5969568") or ("5978195") or ("6236192") or ("6287980") or ("6366062") or ("6366155") or ("5521808") or ("6078508") or ("5493234") or ("6016245") or ("4857739") or ("6134123") or ("4621312") or ("4624234") or ("5568372") or ("5841725") or ("6040660") or ("6177782") or ("6177828") or ("4245289") or ("4328537") or ("4459517") or ("4558183") or ("4580089") or ("4596933") or ("4623833") or ("4763032") or ("4763235") or ("4764838") or ("4791348") or ("4803378") or ("4864481") or ("4887021") or ("4890021).pn.")). PN.	USPAT	OR	OFF	2005/10/05 08:47
----	----	---	-------	----	-----	------------------

S5	2247	(322/28).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 08:48
S6	394	(322/24).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 08:48
S7	98	(322/22).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 08:49
S8	43	(322/26).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 08:48
S9	113	(322/46).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 08:48
S10	1	"322"/\$.ccls. and (voltage near12 detect\$4) same (deviation near12 (detect\$4 calculat\$4)) and integral near12 (calculat\$4) and pulse near12 (calculat\$4 measur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 13:02
S11	0	"323"/\$.ccls. and (voltage near12 detect\$4) same (deviation near12 (detect\$4 calculat\$4)) and integral near12 (calculat\$4) and pulse near12 (calculat\$4 measur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 08:52
S12	1	"363"/\$.ccls. and (voltage near12 detect\$4) same (deviation near12 (detect\$4 calculat\$4)) and integral near12 (calculat\$4) and pulse near12 (calculat\$4 measur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 08:52
S13	0	"361"/\$.ccls. and (voltage near12 detect\$4) same (deviation near12 (detect\$4 calculat\$4)) and integral near12 (calculat\$4) and pulse near12 (calculat\$4 measur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 08:53
S14	1	"307"/\$.ccls. and (voltage near12 detect\$4) same (deviation near12 (detect\$4 calculat\$4)) and integral near12 (calculat\$4) and pulse near12 (calculat\$4 measur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 08:54

S15	8	"318"/\$.ccls. and (voltage near12 detect\$4) same (deviation near12 (detect\$4 calculat\$4)) and integral near12 (calculat\$4) and pulse near12 (calculat\$4 measur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 09:17
S16	0	"315"/\$.ccls. and (voltage near12 detect\$4) same (deviation near12 (detect\$4 calculat\$4)) and integral near12 (calculat\$4) and pulse near12 (calculat\$4 measur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 08:56
S17	0	"327"/\$.ccls. and (voltage near12 detect\$4) same (deviation near12 (detect\$4 calculat\$4)) and integral near12 (calculat\$4) and pulse near12 (calculat\$4 measur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 08:56
S18	19	(voltage near12 detect\$4) same (deviation near12 (detect\$4 calculat\$4)) and integral near12 (calculat\$4) and pulse near12 (calculat\$4 measur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 09:24
S19	461	(deny).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 09:18
S20	1	2005-546083.NRAN.	DERWENT	OR	ON	2005/10/05 09:23
S21	0	"322"/\$.ccls. and voltage near12 less near12 (threshold reference limit) near12 (before first\$4 preceed\$3 previous\$3) near12 (voltage near12 (replac\$4 restor\$3 substitut\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 09:59
S22	9	voltage near12 less near12 (threshold reference limit) near12 (before first\$4 preceed\$3 previous\$3) near12 (voltage near12 (replac\$4 restor\$3 substitut\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 09:59
S23	0	"322"/\$.ccls. and voltage near12 (lower\$3 less) near12 (threshold reference limit) near12 (before first\$4 preceed\$3 previous\$3) near12 (voltage near12 (replac\$4 restor\$3 substitut\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 10:00
S24	1079	(361/18).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 11:16

S25	155	(361/21).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 11:16
S26	178	(361/22).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 11:16
S27	723	(361/86).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 11:17
S28	1256	(363/97).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:46
S29	1176	(307/87).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 11:17
S30	2815	H02P009/14.ipc.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 12:48
S31	113	(322/46).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 12:48
S32	6	"322"/\$.ccls. and (voltage near12 detect\$4) same (deviation near12 (detect\$4 calculat\$4)) and pulse near12 (calculat\$4 measur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 13:34
S33	1	"361"/\$.ccls. and (voltage near12 detect\$4) same (deviation near12 (detect\$4 calculat\$4)) and pulse near12 (calculat\$4 measur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 13:54
S34	8	"363"/\$.ccls. and (voltage near12 detect\$4) same (deviation near12 (detect\$4 calculat\$4)) and pulse near12 (calculat\$4 measur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 13:09

S35	1	"307"/\$.ccls. and (voltage near12 detect\$4) same (deviation near12 (detect\$4 calculat\$4)) and pulse near12 (calculat\$4 measur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 13:09
S36	1	"361"/\$.ccls. and (voltage near12 detect\$4) same (deviation near12 (detect\$4 calculat\$4)) and pulse near12 (calculat\$4 measur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 13:09
S37	14393	"322"/28.ccls. and (voltage) same (after afterward later) near12 ((alternator generator) near12 (short))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 13:36
S38	11	"322"/28.ccls. and (voltage) same (after afterward later) near12 ((alternator generator) near12 (short))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 13:40
S39	14	("2862174"   "3605006"   "3758843").PN. OR ("3863137").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/05 13:38
S40	7	"322"/\$.ccls. and (voltage) same (after afterward later) near12 ((alternator generator) near12 (short near2 circuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 13:41
S41	1	"363"/\$.ccls. and (voltage) same (after afterward later) near12 ((alternator generator) near12 (short near2 circuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 13:41
S42	2	"361"/\$.ccls. and (voltage) same (after afterward later) near12 ((alternator generator) near12 (short near2 circuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 13:41
S43	1	"307"/\$.ccls. and (voltage) same (after afterward later) near12 ((alternator generator) near12 (short near2 circuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 13:41
S44	7	"324"/\$.ccls. and (voltage) same (after afterward later) near12 ((alternator generator) near12 (short near2 circuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 13:42

S45	16	"324"/\$.ccls. and (voltage near12 detect\$4) same (deviation near12 (detect\$4 calculat\$4)) and pulse near12 (calculat\$4 measur\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 13:54
-----	----	--	---	----	----	------------------

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	558	(322/59).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 08:38
L2	176	(322/44).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 08:38